

L Number	Hits	Search Text	DB	Time stamp
-	617	709/220.ccls. and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 14:00
-	0	((709/220.ccls. and @ad<19991208) and ((configur\$3 or chang\$3 or modify\$3) NEAR5 (preferences or proptert\$3) NEAR8 (plugin or (plug adj1 in)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 14:23
-	0	((709/220.ccls. and @ad<19991208) and ((preference\$1 or proptert\$3) NEAR8 (plugin or "plug-in"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 14:11
-	0	((709/220.ccls. and @ad<19991208) and ((preference\$1 or proptert\$3) SAME (plugin or "plug-in"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 14:11
-	26	((709/220.ccls. and @ad<19991208) and ((plugin or "plug-in"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 14:11
-	32	((709/220.ccls. and @ad<19991208) and ((configur\$3 or chang\$3 or modify\$3) NEAR5 (preferences or proptert\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 14:13
-	4	((configur\$3 or chang\$3 or modify\$3) NEAR5 (preferences or proptert\$3) NEAR8 (plugin or (plug adj1 in))) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:30
-	14	((preferences or proptert\$3) NEAR8 (plugin or (plug adj1 in))) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 14:31
-	2392	709/220.ccls. or 709/221.ccls. or 709/250.ccls. and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 11:23
-	143	((709/220.ccls. or 709/221.ccls. or 709/250.ccls. and @ad<19991208) and (plugin or "plug-in" or (plug adj1 in))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 11:55
-	876	((plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) NEAR8 (configur\$5 or preference or asset or attribute or parameter) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 13:32
-	637	((plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) NEAR4 (configur\$5 or preference or asset or attribute or parameter) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:39
-	51	((plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) NEAR4 (configur\$5 or preference or asset or attribute or parameter) and @ad<19991208) and GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 12:23
-	520	((plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) NEAR8 (configuration or preference or asset or attribute or parameter) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:19

7m
3/31/04

-	33	((plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) NEAR8 (configuration or preference or asset or attribute or parameter) and @ad<19991208) and GUI	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 12:23
-	17	(plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) NEAR8 ((configuration or preference) NEAR3 (file)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 13:39
-	1	5742829.pn.	USPAT; US-PGPUB	2004/03/24 13:47
-	67	5742829.URPN.	USPAT	2004/03/24 14:39
-	7	(plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) and 5742829.URPN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 14:52
-	494	(configur\$3 or modif\$3 or setup) NEAR4 (plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 15:07
-	4	((configur\$3 or modif\$3 or setup) NEAR4 (plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) and @ad<19991208) and 709/220.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 15:05
-	45	((configur\$3 or modif\$3 or setup) NEAR4 (plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) and @ad<19991208) and 709/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 15:05
-	373	(configur\$3 or setup) NEAR4 (plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 15:08
-	360	(configur\$3) NEAR4 (plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 15:46
-	0	(configur\$3) NEAR4 (plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) SAME ((prior or before) NEAR10 (send\$3 or transmit\$4)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 15:42
-	0	(PCL) NEAR4 (plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 15:47
-	6	(PCL) SAME (plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 15:47
-	7	(plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) NEAR8 (configur\$4 NEAR8 (preferences or parameters or value or asset or attribute)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:22
-	405	(plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) AND (configur\$4 NEAR8 (preferences or parameters or value or asset or attribute)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:22

-	14	(plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) SAME (configur\$4 NEAR8 (preferences or parameters or value or asset or attribute)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:22
-	7	((plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) SAME (configur\$4 NEAR8 (preferences or parameters or value or asset or attribute)) and @ad<19991208) not ((plugin or "plug-in" or (plug adj1 in) or (pluggable adj1 component)) NEAR8 (configur\$4 NEAR8 (preferences or parameters or value or asset or attribute)) and @ad<19991208)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:22
-	18894	((configur\$3 or chang\$3 or modify\$3 or edit\$3) NEAR5 (plugin or (plug adj1 in) or "plug-in" or (pluggable adj1 component) or module)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:31
-	713	((configur\$3 or chang\$3 or modify\$3 or edit\$3) NEAR5 (plugin or (plug adj1 in) or "plug-in" or (pluggable adj1 component))) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:52
-	398	((((configur\$3 or chang\$3 or modify\$3 or edit\$3) NEAR5 (plugin or (plug adj1 in) or "plug-in" or (pluggable adj1 component))) and @ad<19991208) AND (preference or parameter or value or attribute or asset)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:33
-	146	(((((configur\$3 or chang\$3 or modify\$3 or edit\$3) NEAR5 (plugin or (plug adj1 in) or "plug-in" or (pluggable adj1 component))) and @ad<19991208) AND (preference or parameter or value or attribute or asset)) and ((user adj3 input) or GUI or (graphical adj3 interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 16:34
-	3715	(plugin or (plug adj1 in) or "plug-in" or (pluggable adj1 component)).ti. and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 17:01
-	5	(configur\$4 NEAR8 (plugin or (plug adj1 in) or "plug-in" or (pluggable adj1 component))).ti. and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/24 17:02
-	756	configuring NEAR4 (plugin or "plug-in" or module or applet or patch) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 10:34
-	92	configuring NEAR4 (plugin or "plug-in" or module or applet or patch) NEAR15 (group or plurality or mass) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 10:38
-	14	configuring NEAR4 (plugin or "plug-in") and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 10:39
-	35	(configuring or designing) NEAR4 (plugin or "plug-in") and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 10:52
-	63	(configuring or designing) NEAR4 (applet or patch) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 10:52

-	63	((configuring or designing) NEAR4 (applet or patch) and @ad<20001207) not ((configuring or designing) NEAR4 (plugin or "plug-in") and @ad<20001207)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:21
-	153	(plugin or "plug-in") NEAR3 (preference or parameter or value) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:22
-	5053	(preference or configuration) NEAR2 file and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:42
-	100	((preference or configuration) NEAR2 file and @ad<20001207) and (validat\$3 NEAR4 input)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:54
-	29	((preference or configuration) NEAR2 file and @ad<20001207) and (validat\$3 NEAR4 input) and (plugin or "plug-in")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 14:53
-	62	((preference or configuration) NEAR2 file and @ad<20001207) and ((initializ\$3 or load\$3) NEAR4 (default NEAR3 (values or parameters)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:00
-	31	(JAR NEAR3 files) NEAR8 (configuration or preference or parameter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:01
-	7	((JAR NEAR3 files) NEAR8 (configuration or preference or parameter)) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:04
-	0	(batch NEAR3 file) NEAR8 (configuration or preference) NEAR8 (plugin or "plug-in")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:05
-	0	(batch NEAR3 file) SAME(configuration or preference) NEAR8 (plugin or "plug-in")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:05
-	1	(batch NEAR3 file) SAME (configuration or preference) SAME (plugin or "plug-in")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:06
-	1	(batch) SAME (configuration or preference) SAME (plugin or "plug-in")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:08
-	48	copy NEAR8 (plugin or "plug-in" or pluggable adj1 component)) and @ad<20001207	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 15:17
-	0	((updat\$3 and distribut\$3) NEAR10 (preferences or configuration or parameter) SAME batch) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 15:45
-	21	((updat\$3) NEAR10 (preferences or configuration or parameter) SAME batch) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 15:53

-	26	((batch NEAR4 file) NEAR5 automat\$4) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:01
-	2	((batch NEAR4 file) NEAR5 advantage) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:01
-	0	((batch NEAR4 file) NEAR5 configur\$3 NEAR4 (preference adj3 value)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:02
-	0	((batch NEAR4 file) NEAR12 configur\$3 NEAR4 (preference adj3 value)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:02
-	0	((batch NEAR4 file) NEAR12 configur\$3 NEAR8 (preference adj3 value)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:02
-	0	((batch) NEAR12 configur\$3 NEAR8 (preference adj3 value)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:02
-	0	((batch) NEAR12 (configur\$3 or chang\$3 or modify\$3 or add\$3) NEAR8 (preference adj3 value)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:02
-	228	((batch) NEAR12 (configur\$3 or chang\$3 or modify\$3 or add\$3) NEAR8 (preference or value or parameter or option)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:03
-	2	((batch adj3 file) NEAR12 (configur\$3 or chang\$3 or modify\$3 or add\$3) NEAR8 (preference or value or parameter or option)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:03
-	114	((batch) NEAR5 (configur\$3 or chang\$3 or modify\$3 or add\$3) NEAR8 (preference or value or parameter or option)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:07
-	37	((batch) NEAR5 (configur\$3 or chang\$3 or modify\$3) NEAR8 (preference or value or parameter or option)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:10
-	35009	((batch) NEAR5 (process\$3)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:11
-	10	((batch adj4 file) NEAR6 modify\$3) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:15
-	1	(plugin or "plug-in" or (pluggable adj3 (module or component))) NEAR6 (embedded adj3 server) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:16
-	1	(plugin or "plug-in" or (pluggable adj3 (module or component))) SAME (embedded adj3 server) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:18
-	5	(plugin or "plug-in" or (pluggable adj3 (module or component))) SAME (manifest) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:20
-	326	((configur\$3 NEAR10 (deliver\$4 or distribut\$4) NEAR5 (component or plugin or "plug-in" or module)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:21
-	206	((configur\$3 NEAR5 (deliver\$4 or distribut\$4) NEAR5 (component or plugin or "plug-in" or module)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:21
-	74	((configur\$3 NEAR2 (deliver\$4 or distribut\$4) NEAR5 (component or plugin or "plug-in" or module)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:24
-	87	((configur\$3 NEAR10 (deliver\$4 or distribut\$4) NEAR5 (component or plugin or "plug-in" or module)) and @ad<20001207) and (preference or parameter)	USPAT; US-PGPUB	2004/03/25 16:29
-	2	((configur\$3 NEAR10 (deliver\$4 or distribut\$4) NEAR5 (component or plugin or "plug-in" or module)) and @ad<20001207) and 709/220.ccls.	USPAT; US-PGPUB	2004/03/25 16:30
-	1	((configur\$3 NEAR10 (deliver\$4 or distribut\$4) NEAR5 (component or plugin or "plug-in" or module)) and @ad<20001207) and 709/221.ccls.	USPAT; US-PGPUB	2004/03/25 16:30
-	0	((configur\$3 NEAR10 (deliver\$4 or distribut\$4) NEAR5 (component or plugin or "plug-in" or module)) and @ad<20001207) and 709/250.ccls.	USPAT; US-PGPUB	2004/03/25 16:30
-	189	((configur\$3 NEAR8 (deliver\$4 or distribut\$4) NEAR4 (components or modules)) and @ad<20001207	USPAT; US-PGPUB	2004/03/25 16:39

-	31	((configur\$3 NEAR8 (deliver\$4 or distribut\$4) NEAR4 (components or modules)) and @ad<20001207) and 709/\$.ccls.	USPAT; US-PGPUB	2004/03/25 16:39
-	19	(batch adj2 file) NEAR4 (configur\$5 or preference or profile) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 09:16
-	2	((preference or configuration) NEAR3 file) NEAR8 (JAVA NEAR5 properties) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 09:49
-	1	((preference or configuration) NEAR3 file) SAME ((JAVA NEAR5 properties) NEAR4 file) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 09:49
-	18	JAVA NEAR4 (propert\$3 NEAR4 file) and @ad<19991208	USPAT; US-PGPUB	2004/03/29 10:50
-	10	JAVA NEAR4 (embedded adj2 server) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:29
-	3	JAVA NEAR4 (embedded adj2 server) and (plugin or "plug-in" or (pluggable adj2 (component or module))) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:31
-	1	(embedded adj2 server) NEAR8 (plugin or "plug-in" or (pluggable adj2 (component or module))) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:32
-	1	(embedded adj2 server) SAME (plugin or "plug-in" or (pluggable adj2 (component or module))) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:32
-	17	(embedded adj2 server) and (plugin or "plug-in" or (pluggable adj2 (component or module))) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:32
-	1	((command adj2 line) NEAR2 interface) SAME (input NEAR4 validat\$3) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:55
-	79	(GUI or (user adj2 interface)) SAME (input NEAR4 validat\$3) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:51
-	12	((command adj2 line) NEAR2 interface) SAME ((modify\$3 or chang\$3) NEAR3 (preference or configuration)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:41
-	82	(initializ\$3 NEAR4 (preference or parameter)) NEAR4 default and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:42
-	0	((initializ\$3 NEAR4 (preference or parameter)) NEAR4 default) SAME (plugin or "plug-in" or (pluggable NEAR3 (component or module))) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:43

-	2	((initializ\$3 NEAR4 (preference or parameter)) NEAR4 default) AND (plugin or "plug-in" or (pluggable NEAR3 (component or module))) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 12:43
-	60	(cop\$3 or duplicat\$3) NEAR4 (plugin or "plug-in" or (pluggable NEAR3 (component or module))) and @ad<19991208	USPAT; US-PGPUB	2004/03/29 12:47
-	0	(batch NEAR3 file) NEAR6 (configur\$3 NEAR5 (preferences or parameter)) and @ad<19991208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 16:25
-	1	("5875327").PN.	USPAT; US-PGPUB	2004/03/31 11:34
-	2	802480.pn.	USPAT; US-PGPUB; EPO; DERWENT	2004/03/31 11:38
-	0	EP-802480-\$.did.	USPAT; US-PGPUB	2004/03/31 11:40
-	1	EP-802480-\$.did.	USPAT; US-PGPUB; EPO; DERWENT	2004/03/31 11:50